

ITGA3 Antibody (N-term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP21352a**Specification**

ITGA3 Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	P26006
Reactivity	Human
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Calculated MW	116612

ITGA3 Antibody (N-term) - Additional Information**Gene ID** 3675**Other Names**

Integrin alpha-3, CD49 antigen-like family member C, FRP-2, Galactoprotein B3, GAPB3, VLA-3 subunit alpha, CD49c, Integrin alpha-3 heavy chain, Integrin alpha-3 light chain, ITGA3, MSK18

Target/Specificity

This ITGA3 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 165-199 amino acids from the N-terminal region of human ITGA3.

Dilution

WB~~1:2000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ITGA3 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ITGA3 Antibody (N-term) - Protein Information**Name** ITGA3**Synonyms** MSK18**Function** Integrin alpha-3/beta-1 is a receptor for fibronectin, laminin, collagen, epiligrin,

thrombospondin and CSPG4. Integrin alpha-3/beta-1 provides a docking site for FAP (seprase) at invadopodia plasma membranes in a collagen-dependent manner and hence may participate in the adhesion, formation of invadopodia and matrix degradation processes, promoting cell invasion. Alpha-3/beta-1 may mediate with LGALS3 the stimulation by CSPG4 of endothelial cells migration.

Cellular Location

Cell membrane; Single-pass type I membrane protein. Cell membrane; Lipid- anchor. Cell projection, invadopodium membrane; Single-pass type I membrane protein. Cell projection, filopodium membrane; Single-pass type I membrane protein. Note=Enriched preferentially at invadopodia, cell membrane protrusions that correspond to sites of cell invasion, in a collagen-dependent manner.

Tissue Location


Isoform 1 is widely expressed. Isoform 2 is expressed in brain and heart. In brain, both isoforms are exclusively expressed on vascular smooth muscle cells, whereas in heart isoform 1 is strongly expressed on vascular smooth muscle cells, isoform 2 is detected only on endothelial vein cells.

ITGA3 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ITGA3 Antibody (N-term) - Images



All lanes : Anti-ITGA3 Antibody (N-term) at 1:4000 dilution Lane 1: A431 whole cell lysates Lane 2: HeLa whole cell lysates Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution Predicted band size : 117 kDa Blocking/Dilution buffer: 5% NFD/MTBST.



Anti-ITGA3 Antibody (N-term) at 1:2000 dilution + PC-3 whole cell lysates Lysates/proteins at 20 μ g per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution
Predicted band size : 117 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

ITGA3 Antibody (N-term) - Background

Integrin alpha-3/beta-1 is a receptor for fibronectin, laminin, collagen, epiligrin, thrombospondin and CSPG4. Integrin alpha-3/beta-1 provides a docking site for FAP (seprase) at invadopodia plasma membranes in a collagen-dependent manner and hence may participate in the adhesion, formation of invadopodia and matrix degradation processes, promoting cell invasion. Alpha-3/beta-1 may mediate with LGALS3 the stimulation by CSPG4 of endothelial cells migration.

ITGA3 Antibody (N-term) - References

- Takada Y., et al. *J. Cell Biol.* 115:257-266(1991).
- Ota T., et al. *Nat. Genet.* 36:40-45(2004).
- Zody M.C., et al. *Nature* 440:1045-1049(2006).
- Mural R.J., et al. Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.
- Tsuji T., et al. *J. Biochem.* 109:659-665(1991).