

MYH11 Antibody (N-Term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP21702a

Specification

MYH11 Antibody (N-Term) - Product Information

Application	WB,E
Primary Accession	P35749
Reactivity	Mouse
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Calculated MW	227339

MYH11 Antibody (N-Term) - Additional Information

Gene ID 4629

Other Names

Myosin-11, Myosin heavy chain 11, Myosin heavy chain, smooth muscle isoform, SMMHC, MYH11, KIAA0866

Target/Specificity

This MYH11 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 21-56 amino acids from the human MYH11.

Dilution

WB~~1:2000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

MYH11 Antibody (N-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

MYH11 Antibody (N-Term) - Protein Information

Name MYH11

Synonyms KIAA0866

Function Muscle contraction.

Cellular Location

Melanosome. Note=Identified by mass spectrometry in melanosome fractions from stage I to stage IV. Thick filaments of the myofibrils

Tissue Location


Smooth muscle; expressed in the umbilical artery, bladder, esophagus and trachea. Isoform 1 is mostly found in slowly contracting tonic muscles.

MYH11 Antibody (N-Term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MYH11 Antibody (N-Term) - Images



Anti-MYH11 Antibody (N-Term) at 1:2000 dilution + mouse colon lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 227 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

MYH11 Antibody (N-Term) - Background

Muscle contraction.

MYH11 Antibody (N-Term) - References

- Leguillette R.,et al.Am. J. Physiol. 289:C1277-C1285(2005).
Loftus B.J.,et al.Genomics 60:295-308(1999).
Nagase T.,et al.DNA Res. 5:355-364(1998).
Nagase T.,et al.Submitted (JAN-2003) to the EMBL/GenBank/DDBJ databases.

Martin J., et al. Nature 432:988-994(2004).