

IDNK Antibody (N-Term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP21907a

Specification

IDNK Antibody (N-Term) - Product Information

Application	WB,E
Primary Accession	Q5T6J7
Reactivity	Human
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Calculated MW	20578

IDNK Antibody (N-Term) - Additional Information

Gene ID 414328

Other Names

Probable gluconokinase, Gluconate kinase, IDNK, C9orf103

Target/Specificity

This IDNK antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 11-45 amino acids from human IDNK.

Dilution

WB~~1:8000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

IDNK Antibody (N-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

IDNK Antibody (N-Term) - Protein Information

Name IDNK


Synonyms C9orf103

IDNK Antibody (N-Term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

IDNK Antibody (N-Term) - Images



All lanes : Anti-IDNK Antibody (N-Term) at 1:8000 dilution Lane 1: NCI-H460 whole cell lysate Lane 2: DU145 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 21 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

IDNK Antibody (N-Term) - References

- Sweetser D.A., et al. *Genes Chromosomes Cancer* 44:279-291(2005).
Humphray S.J., et al. *Nature* 429:369-374(2004).
Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.