

ZNF513 Antibody (N-Term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP22017a

Specification

ZNF513 Antibody (N-Term) - Product Information

Application	WB,E
Primary Accession	O8N8E2
Other Accession	O6PD29 , O5FWU5
Reactivity	Human
Predicted	Mouse, Rat
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Calculated MW	57882

ZNF513 Antibody (N-Term) - Additional Information

Gene ID 130557

Other Names

Zinc finger protein 513, ZNF513

Target/Specificity

This ZNF513 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 82-115 amino acids from human ZNF513.

Dilution

WB~~1:2000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZNF513 Antibody (N-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF513 Antibody (N-Term) - Protein Information

Name ZNF513

Function Transcriptional regulator that plays a role in retinal development and maintenance.

Cellular Location

Nucleus.

Tissue Location


In the retina, expressed in the outer and inner nuclear layers, and the ganglion cell layer

ZNF513 Antibody (N-Term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF513 Antibody (N-Term) - Images



All lanes : Anti-ZNF513 Antibody (N-Term) at 1:2000 dilution Lane 1: HT-1080 whole cell lysate Lane 2: SH-SY5Y whole cell lysate Lane 3: Y79 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 58 kDa Blocking/Dilution buffer: 5% NFD/MTBST.

ZNF513 Antibody (N-Term) - Background

Transcriptional regulator that plays a role in retinal development and maintenance.

ZNF513 Antibody (N-Term) - References

- Ota T., et al. Nat. Genet. 36:40-45(2004).
Yamada S., et al. Oncogene 23:5901-5911(2004).
Bechtel S., et al. BMC Genomics 8:399-399(2007).
Hillier L.W., et al. Nature 434:724-731(2005).
Mural R.J., et al. Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.

