

Pax-8
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP22445a

Specification

Pax-8 - Product Information

| | |
|-------------------|------------------------|
| Application | WB,E |
| Primary Accession | Q06710 |
| Reactivity | Human |
| Host | Rabbit |
| Clonality | polyclonal |
| Isotype | Rabbit Ig |
| Calculated MW | 48218 |

Pax-8 - Additional Information

Gene ID 7849

Other Names

Paired box protein Pax-8, PAX8

Target/Specificity

This antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between amino acids from human.

Dilution

WB~~1:2000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Pax-8 is for research use only and not for use in diagnostic or therapeutic procedures.

Pax-8 - Protein Information

Name PAX8

Function Transcription factor for the thyroid-specific expression of the genes exclusively expressed in the thyroid cell type, maintaining the functional differentiation of such cells.

Cellular Location

Nucleus.

Tissue Location


Expressed in the excretory system, thyroid gland and Wilms tumors

Pax-8 - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Pax-8 - Images



All lanes: Anti-Pax-8 Antibody at 1:2000 dilution + SK-OV-3 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary: Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated (ASP1615) at 1/15000 dilution. Observed band size: 48 KDa Blocking/Dilution buffer: 5% NFD/MTBST.

Pax-8 - Background

Transcription factor for the thyroid-specific expression of the genes exclusively expressed in the thyroid cell type, maintaining the functional differentiation of such cells.

Pax-8 - References

- Poleev A., et al. *Development* 116:611-623(1992).
Kozmik Z., et al. *Mol. Cell. Biol.* 13:6024-6035(1993).
Poleev A., et al. *Eur. J. Biochem.* 228:899-911(1995).
Ota T., et al. *Nat. Genet.* 36:40-45(2004).
Hillier L.W., et al. *Nature* 434:724-731(2005).