

Dishevelled 3 Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP51850**Specification**

Dishevelled 3 Antibody - Product Information

Application	WB
Primary Accession	O92997
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	90 KDa
Antigen Region	301 - 360

Dishevelled 3 Antibody - Additional Information**Gene ID** 1857**Other Names**

Segment polarity protein dishevelled homolog DVL-3, Dishevelled-3, DSH homolog 3, DVL3, KIAA0208

Target/Specificity

KLH conjugated synthetic peptide derived from human Dishevelled 3

Dilution

WB~~ 1:1000

Format

0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

Storage

Store at -20 °C. Stable for 12 months from date of receipt

Dishevelled 3 Antibody - Protein Information**Name** DVL3**Synonyms** KIAA0208**Function**

Involved in the signal transduction pathway mediated by multiple Wnt genes.

Cellular Location


Cytoplasm {ECO:0000250|UniProtKB:O14641}.

Dishevelled 3 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Dishevelled 3 Antibody - Images



Anti-Dishevelled 3 Antibody at 1:1000 dilution + NIH/3T3 whole cell lysates Lysates/proteins at 20 μ g per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution
Predicted band size : 78 kDa Blocking/Dilution buffer: 5% NFD/MTBST.

Dishevelled 3 Antibody - Background

May play a role in the signal transduction pathway mediated by multiple Wnt genes.

Dishevelled 3 Antibody - References

- Pizzuti A., et al. Hum. Mol. Genet. 5:953-958(1996).
Bui T.D., et al. Biochem. Biophys. Res. Commun. 239:510-516(1997).
Semenov M.V., et al. Genomics 42:302-310(1997).
Nagase T., et al. DNA Res. 3:321-329(1996).
Ota T., et al. Nat. Genet. 36:40-45(2004).