

ATP-Citrate Lyase (C-terminus) Antibody
Purified Mouse Monoclonal Antibody (Mab)
Catalog # AP52697

Specification

ATP-Citrate Lyase (C-terminus) Antibody - Product Information

Application	WB, FC, ICC
Primary Accession	P53396
Reactivity	Human, Mouse
Host	Mouse
Clonality	Monoclonal
Isotype	IgG2a
Calculated MW	120 KDa

ATP-Citrate Lyase (C-terminus) Antibody - Additional Information

Gene ID 47

Other Names

ACL;Acly;ACLY_HUMAN;ATP citrate (pro-S) lyase;ATP citrate lyase;ATP citrate synthase; ATP-citrate (pro-S)-lyase;ATP-citrate synthase;ATPcitrate synthase;ATPCL;Citrate cleavage enzyme;CLATP;EC 2.3.3.8;OTTHUMP00000164773.

Dilution

WB~~1:1000
FC~~1:100
ICC~~1:150

Format

Purified mouse monoclonal in buffer containing 0.1M Tris-Glycine (pH 7.4, 150 mM NaCl) with 0.09% (W/V) sodium azide, 50%,glycerol

Storage

Store at -20 °C.Stable for 12 months from date of receipt

ATP-Citrate Lyase (C-terminus) Antibody - Protein Information

Name ACLY

Function

Catalyzes the cleavage of citrate into oxaloacetate and acetyl-CoA, the latter serving as common substrate for de novo cholesterol and fatty acid synthesis.

Cellular Location


Cytoplasm, cytosol.

ATP-Citrate Lyase (C-terminus) Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ATP-Citrate Lyase (C-terminus) Antibody - Images




Western blot detection of ATP-Citrate Lyase in 3T3, K562, COS7 and HeLa cell lysates using ATP-Citrate Lyase mouse mAb (1:1000 diluted). Predicted band size: 120 kDa. Observed band size: 120 kDa.



Flow Cytometry analysis of HeLa cells stained with ATP-Citrate Lyase (red, 1/100 dilution), followed by FITC-conjugated goat anti-mouse IgG. Black line histogram represents the isotype

control, normal mouse IgG



Immunocytochemistry of HeLa cells using anti-ATP-Citrate Lyase (C-terminus) mouse mAb diluted 1:150.

ATP-Citrate Lyase (C-terminus) Antibody - Background

ATP citrate-lyase is the primary enzyme responsible for the synthesis of cytosolic acetyl-CoA in many tissues. Has a central role in de novo lipid synthesis. In nervous tissue it may be involved in the biosynthesis of acetylcholine.

ATP-Citrate Lyase (C-terminus) Antibody - References

Elshourbagy N.A., et al. Eur. J. Biochem. 204:491-499(1992).
Lord K.A., et al. Protein Expr. Purif. 9:133-141(1997).
Ota T., et al. Nat. Genet. 36:40-45(2004).
Zody M.C., et al. Nature 440:1045-1049(2006).
Potapova I.A., et al. Biochemistry 39:1169-1179(2000).