

**beta Tubulin Antibody**  
**Purified Mouse Monoclonal Antibody (Mab)**  
**Catalog # AP52743**

**Specification**

---

**beta Tubulin Antibody - Product Information**

|                   |                        |
|-------------------|------------------------|
| Application       | <b>WB</b>              |
| Primary Accession | <a href="#">P07437</a> |
| Reactivity        | <b>Human, Mouse</b>    |
| Host              | <b>Mouse</b>           |
| Clonality         | <b>Monoclonal</b>      |
| Isotype           | <b>IgG1</b>            |
| Calculated MW     | <b>55 KDa</b>          |

**beta Tubulin Antibody - Additional Information**

**Gene ID** 203068

**Other Names**

beta 4 tubulin;Beta 5 tubulin;beta 1b tubulin;M40;TUBB1;TUBB5;tubulin beta 1 chain; Tubulin beta 4 chain;tubulin beta 5 chain;Tubulin beta;Tubulin beta chain;tubulin beta polypeptide.

**Dilution**

WB~~1:1000

**Format**

Purified mouse monoclonal antibody in PBS(pH 7.4) containing with 0.09% (W/V) sodium azide,0.1mg/mlBSA and 50% glycerol.

**Storage**

Store at -20 °C.Stable for 12 months from date of receipt

**beta Tubulin Antibody - Protein Information**

**Name** TUBB

**Synonyms** TUBB5

**Function**

Tubulin is the major constituent of microtubules, a cylinder consisting of laterally associated linear protofilaments composed of alpha- and beta-tubulin heterodimers. Microtubules grow by the addition of GTP-tubulin dimers to the microtubule end, where a stabilizing cap forms. Below the cap, tubulin dimers are in GDP-bound state, owing to GTPase activity of alpha-tubulin.

**Cellular Location**

Cytoplasm, cytoskeleton

**Tissue Location**


Ubiquitously expressed with highest levels in spleen, thymus and immature brain.

### beta Tubulin Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### beta Tubulin Antibody - Images



### beta Tubulin Antibody - Background

Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on the alpha chain.

### beta Tubulin Antibody - References

- Lee M.G.-S., et al. Cell 33:477-487(1983).  
Hall J.L., et al. Mol. Cell. Biol. 3:854-862(1983).  
Crabtree D.V., et al. Bioorg. Med. Chem. 9:1967-1976(2001).  
Yu W., et al. Submitted (JUN-1998) to the EMBL/GenBank/DDBJ databases.  
Shiina S., et al. Submitted (SEP-1999) to the EMBL/GenBank/DDBJ databases.