

Anti-Lamin B1 Antibody
Mouse Monoclonal Antibody
Catalog # AP53431**Specification**

Anti-Lamin B1 Antibody - Product Information

Application	WB, ICC
Primary Accession	P20700
Other Accession	NM_005573
Reactivity	Human, Mouse, Monkey
Host	Mouse
Clonality	Monoclonal
Isotype	IgG2b
Immunogen	Recombinant human Lamin B1 protein.
Purification	Affinity purified
Calculated MW	68 KDa

Anti-Lamin B1 Antibody - Additional Information**Gene ID** 4001**Other Names**

ADLD; lamin B1; Lamin-B1; LMN; LMN2; LMNB; Lmnb1; LMNB1_HUMAN; MGC111419; OTTHUMP00000159218.

Dilution

WB~~1:500

Format

Purified mouse monoclonal antibody in PBS(pH 7.4) containing with 0.09% (W/V) sodium azide and 50% glycerol.

Storage

Store at -20 °C.Stable for 12 months from date of receipt

Anti-Lamin B1 Antibody - Protein Information**Name** LMNB1**Synonyms** LMN2, LMNB**Function**

Lamins are intermediate filament proteins that assemble into a filamentous meshwork, and which constitute the major components of the nuclear lamina, a fibrous layer on the nucleoplasmic side of the inner nuclear membrane (PubMed:28716252, PubMed:32910914). Lamins provide a framework for the nuclear envelope, bridging the nuclear envelope and chromatin, thereby playing an important role in nuclear assembly,

chromatin organization, nuclear membrane and telomere dynamics (PubMed:28716252, PubMed:32910914). The structural integrity of the lamina is strictly controlled by the cell cycle, as seen by the disintegration and formation of the nuclear envelope in prophase and telophase, respectively (PubMed:28716252, PubMed:32910914).

Cellular Location


Nucleus lamina

Anti-Lamin B1 Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-Lamin B1 Antibody - Images



Western blot detection of Lamin B1 in COS7, Molt-4, A549 and 3T3 cell lysates using Lamin B1 mouse mAb(dilution 1:500).Predicted band size:68kDa.Observed band size:68kDa.



Immunocytochemistry staining of HeLa cells fixed with 4% Paraformaldehyde and using anti-Lamin B1 mouse mAb (dilution 1:100).

Anti-Lamin B1 Antibody - Background

Lamins are components of the nuclear lamina, a fibrous layer on the nucleoplasmic side of the inner nuclear membrane, which is thought to provide a framework for the nuclear envelope and may also interact with chromatin.