

Anti-Fatty Acid Synthase Antibody
Affinity purified Mouse Anti Human Monoclonal Antibody
Catalog # AP53449

Specification

Anti-Fatty Acid Synthase Antibody - Product Information

| | |
|-------------------|---------------------------|
| Application | IP, WB, ICC |
| Primary Accession | P49327 |
| Other Accession | NM_004104 |
| Reactivity | Human, Mouse, Rat, Monkey |
| Host | Mouse |
| Clonality | Monoclonal |
| Isotype | IgG1 |
| Immunogen | a synthetic peptide |
| Purification | Affinity purified |
| Calculated MW | 273 KDa |

Anti-Fatty Acid Synthase Antibody - Additional Information

Gene ID 2194

Other Names

[Acyl-carrier-protein] S acetyltransferase; [Acyl-carrier-protein] S malonyltransferase; 3-hydroxypalmitoyl-[acyl-carrier-protein] dehydratase; 3-oxoacyl-[acyl-carrier-protein] reductase; 3-oxoacyl-[acyl-carrier-protein] synthase; Enoyl-[acyl-carrier-protein] reductase; FAS; FAS_HUMAN; FASN; Fatty acid synthase; MGC14367; MGC15706; OA 519; Oleoyl-[acyl-carrier-protein] hydrolase; SDR27X1; Short chain dehydrogenase/reductase family 27X member 1.

Dilution

WB~~1:1000
ICC~~1:200

Format

Purified mouse monoclonal antibody in PBS(pH 7.4) containing with 0.09% (W/V) sodium azide and 50% glycerol.

Storage

Store at -20 °C. Stable for 12 months from date of receipt

Anti-Fatty Acid Synthase Antibody - Protein Information

Name FASN

Synonyms FAS

Function

Fatty acid synthetase is a multifunctional enzyme that catalyzes the de novo biosynthesis of long-chain saturated fatty acids starting from acetyl-CoA and malonyl-CoA in the presence of

NADPH. This multifunctional protein contains 7 catalytic activities and a site for the binding of the prosthetic group 4'-phosphopantetheine of the acyl carrier protein ([ACP]) domain.

Cellular Location

Cytoplasm. Melanosome. Note=Identified by mass spectrometry in melanosome fractions from stage I to stage IV

Tissue Location


Ubiquitous. Prominent expression in brain, lung, liver and mammary gland.

Anti-Fatty Acid Synthase Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Anti-Fatty Acid Synthase Antibody - Images



Immunoprecipitation analysis of CHO-K1 cell lysates using Fatty Acid Synthase mouse mAb.



Western blot detection of Fatty Acid Synthase in HeLa,C6,3T3,CHO-K1 and MCF7 cell lysates using Fatty Acid Synthase mouse mAb(dilution 1:500).Predicted band size:273kDa.Observed band size:273kDa.



Immunocytochemistry staining of HeLa cells fixed with 4% Paraformaldehyde and using anti-Fatty Acid Synthase mouse mAb (dilution 1:200).

Anti-Fatty Acid Synthase Antibody - Background

Fatty acid synthetase catalyzes the formation of long-chain fatty acids from acetyl-CoA, malonyl-CoA and NADPH. This multifunctional protein has 7 catalytic activities and an acyl carrier protein.