

Anti-MYCBP Antibody

Catalog # AP53937

Specification

Anti-MYCBP Antibody - Product Information

| Application | WB |
|-------------------|---------------|
| Primary Accession | <u>099417</u> |
| Reactivity | Human, Rat |
| Host | Rabbit |
| Clonality | Polyclonal |
| Calculated MW | 11967 |

Anti-MYCBP Antibody - Additional Information

Gene ID 26292

Other Names AMY1; C-Myc-binding protein; Associate of Myc 1; AMY-1

Target/Specificity Recognizes endogenous levels of MYCBP protein.

Dilution WB~~1/500 - 1/2000

Format Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

Storage Store at -20 °C.Stable for 12 months from date of receipt

Anti-MYCBP Antibody - Protein Information

Name MYCBP (<u>HGNC:7554</u>)

Synonyms AMY1

Function May control the transcriptional activity of MYC. Stimulates the activation of E box-dependent transcription by MYC.

Cellular Location

Cytoplasm. Nucleus. Mitochondrion. Note=Translocates into the nucleus in the S phase of the cell cycle upon an increase of MYC expression. Found in the mitochondria when associated with AKAP1

Tissue Location

Highly expressed in heart, placenta, pancreas, skeletal muscle and kidney. Also present at low




levels in lung

Anti-MYCBP Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-MYCBP Antibody - Images



Western blot analysis of MYCBP expression in A549 (A), rat lung (B) whole cell lysates.



Immunohistochemical analysis of MYCBP staining in human heart formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Anti-MYCBP Antibody - Background



Rabbit polyclonal antibody to MYCBP