

**GAPT Polyclonal Antibody**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP55120****Specification**

---

**GAPT Polyclonal Antibody - Product Information**

Application	<b>WB, IHC-P, IHC-F, IF, ICC, E</b>
Primary Accession	<a href="#">O8N292</a>
Host	<b>Rabbit</b>
Clonality	<b>Polyclonal</b>
Calculated MW	<b>17883</b>

**GAPT Polyclonal Antibody - Additional Information****Gene ID** 202309**Other Names**

Protein GAPT, Growth factor receptor-bound protein 2-binding adapter protein, transmembrane, GAPT, C5orf29

**Format**

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

**Storage**

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

**GAPT Polyclonal Antibody - Protein Information****Name** GAPT**Synonyms** C5orf29**Function**

Negatively regulates B-cell proliferation following stimulation through the B-cell receptor. May play an important role in maintenance of marginal zone (MZ) B-cells (By similarity).

**Cellular Location**

Cell membrane; Single-pass membrane protein

**Tissue Location**

Highly expressed in spleen and PBL, detected at lower levels in thymus, and undetectable in all other tissues tested Also expressed in various B-cell lines, monocytic cell line THP-1 and NK-like cell line YT, but not in T-cell line Jurkat or HeLa cells

**GAPT Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**GAPT Polyclonal Antibody - Images**