

DEXI Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP55505

Specification

DEXI Polyclonal Antibody - Product Information

Application	IHC-P
Primary Accession	O95424
Reactivity	Rat, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	10429

DEXI Polyclonal Antibody - Additional Information

Gene ID 28955

Other Names

Dexamethasone-induced protein, Protein MYLE, DEXI, MYLE

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

DEXI Polyclonal Antibody - Protein Information

Name DEXI

Synonyms MYLE

Tissue Location

Highest levels in heart. Also expressed in brain, liver, pancreas, placenta and lung. Up-regulated in emphysematous lung compared to normal lung.


DEXI Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)

- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DEXI Polyclonal Antibody - Images



Paraformaldehyde-fixed, paraffin embedded (Mouse brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (DEXI) Polyclonal Antibody, Unconjugated (bs-14283R) at 1:400 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructions and DAB staining.