

SPRED1 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP56794

Specification

SPRED1 Polyclonal Antibody - Product Information

Application Primary Accession Reactivity Host Clonality

Calculated MW

WB, IHC-P, IHC-F, IF, ICC, E Q7Z699 Rat, Pig, Dog, Bovine Rabbit Polyclonal 50477

SPRED1 Polyclonal Antibody - Additional Information

Gene ID 161742

Other Names

Sprouty-related, EVH1 domain-containing protein 1, Spred-1, hSpred1, SPRED1

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

SPRED1 Polyclonal Antibody - Protein Information

Name SPRED1

Function

Tyrosine kinase substrate that inhibits growth-factor- mediated activation of MAP kinase (By similarity). Negatively regulates hematopoiesis of bone marrow (By similarity). Inhibits fibroblast growth factor (FGF)-induced retinal lens fiber differentiation, probably by inhibiting FGF-mediated phosphorylation of ERK1/2 (By similarity). Attenuates actin stress fiber formation via inhibition of TESK1-mediated phosphorylation of cofilin (PubMed:18216281). Inhibits TGFB-induced epithelial-to-mesenchymal transition in lens epithelial cells (By similarity).

Cellular Location

Cell membrane; Peripheral membrane protein. Membrane, caveola; Peripheral membrane protein. Nucleus Note=Localized in cholesterol-rich membrane raft/caveola fractions

Tissue Location

Weakly expressed in embryonic cell line HEK293.



Tel: 858.875.1900 Fax: 858.875.1999



SPRED1 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

SPRED1 Polyclonal Antibody - Images