

CALCR Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP5688b

Specification

CALCR Antibody (C-term) - Product Information

| | |
|-------------------|-----------------------------|
| Application | IF, WB, FC,E |
| Primary Accession | P30988-2 |
| Other Accession | NP_001733.1 |
| Reactivity | Human |
| Host | Rabbit |
| Clonality | Polyclonal |
| Isotype | Rabbit IgG |
| Antigen Region | 430-460 |

CALCR Antibody (C-term) - Additional Information

Other Names

Calcitonin receptor, CT-R, CALCR

Target/Specificity

This CALCR antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 430-460 amino acids of human CALCR.

Dilution

IF~~1:10~50
WB~~1:1000
FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

CALCR Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.


CALCR Antibody (C-term) - Protein Information

CALCR Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


CALCR Antibody (C-term) - Images



Confocal immunofluorescent analysis of CALCR Antibody (C-term)(Cat#AP5688b) with MCF-7 cell followed by Alexa Fluor® 488-conjugated goat anti-rabbit IgG (green). DAPI was used to stain the cell nuclear (blue).



Western blot analysis of lysate from MCF-7, A431 cell line, using CALCR Antibody (C-term)(Cat. #AP5688b) with(+) or without(-) peptides. AP5688b was diluted at 1:1000 at each lane. A goat anti-rabbit(HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35ug per lane.



CALCR Antibody (C-term) (Cat. #AP5688b) flow cytometric analysis of HL-60 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

CALCR Antibody (C-term) - Background

CALCR is a high affinity receptor for the peptide hormone calcitonin and belongs to a subfamily of seven transmembrane-spanning G protein-coupled receptors. The encoded protein is involved in maintaining calcium homeostasis and in regulating osteoclast-mediated bone resorption. Polymorphisms in this gene have been associated with variations in bone mineral density and onset of osteoporosis.

CALCR Antibody (C-term) - References

Nussenzveig, D.R., et al. *Endocrinology* 136(5):2047-2051(1995) Nakamura, M., et al. *Biochem. Biophys. Res. Commun.* 209(2):744-751(1995) Egerton, M., et al. *J. Mol. Endocrinol.* 14(2):179-189(1995) Gorn, A.H., et al. *J. Clin. Invest.* 90(5):1726-1735(1992)