

ADCY6 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP58109

Specification

ADCY6 Polyclonal Antibody - Product Information

Application	WB, IHC-P, IHC-F, IF, ICC, E
Primary Accession	O43306
Reactivity	Rat, Pig, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	130615

ADCY6 Polyclonal Antibody - Additional Information

Gene ID 112

Other Names

Adenylate cyclase type 6, 4.6.1.1, ATP pyrophosphate-lyase 6, Adenylate cyclase type VI, Adenylyl cyclase 6, Ca(2+)-inhibitabile adenylyl cyclase, ADCY6, KIAA0422

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glycerol

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

ADCY6 Polyclonal Antibody - Protein Information

Name ADCY6

Synonyms KIAA0422

Function

Catalyzes the formation of the signaling molecule cAMP downstream of G protein-coupled receptors (PubMed: [17110384](http://www.uniprot.org/citations/17110384), PubMed: [17916776](http://www.uniprot.org/citations/17916776)). Functions in signaling cascades downstream of beta-adrenergic receptors in the heart and in vascular smooth muscle cells (PubMed: [17916776](http://www.uniprot.org/citations/17916776)). Functions in signaling cascades downstream of the vasopressin receptor in the kidney and has a role in renal water reabsorption. Functions in signaling cascades downstream of PTH1R and plays a role in regulating renal phosphate excretion. Functions in signaling cascades downstream of the VIP and SCT receptors in pancreas and contributes to the regulation of pancreatic amylase and fluid secretion (By similarity). Signaling mediates cAMP-dependent activation of protein kinase PKA. This promotes increased phosphorylation of various proteins, including AKT. Plays a role in regulating cardiac sarcoplasmic reticulum Ca(2+) uptake and storage, and is required for normal

heart ventricular contractibility. May contribute to normal heart function (By similarity). Mediates vasodilatation after activation of beta-adrenergic receptors by isoproterenol (PubMed:17916776). Contributes to bone cell responses to mechanical stimuli (By similarity).

Cellular Location

Cell membrane; Multi-pass membrane protein. Cell projection, cilium {ECO:0000250|UniProtKB:Q01341}. Cell projection, stereocilium {ECO:0000250|UniProtKB:Q01341}

Tissue Location

Detected in peripheral blood mononuclear leukocytes (at protein level) (PubMed:17916776). Detected in thyroid (PubMed:10978539).

ADCY6 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ADCY6 Polyclonal Antibody - Images