

Anti-ZNF307 Antibody
Rabbit polyclonal antibody to ZNF307
Catalog # AP60862**Specification**

Anti-ZNF307 Antibody - Product Information

Application	WB
Primary Accession	O969J2
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	61579

Anti-ZNF307 Antibody - Additional Information**Gene ID** 387032**Other Names**

ZNF307; ZNF427; Zinc finger protein with KRAB and SCAN domains 4; P373c6.1; Zinc finger protein 307; Zinc finger protein 427

Target/Specificity

Recognizes endogenous levels of ZNF307 protein.

Dilution

WB~~WB (1/500 - 1/2000), IH (1/50 - 1/200)

Format

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

Storage

Store at -20 °C. Stable for 12 months from date of receipt

Anti-ZNF307 Antibody - Protein Information**Name** ZKSCAN4**Synonyms** ZNF307, ZNF427**Function**

May be involved in the transcriptional activation of MDM2 and EP300 genes.

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00187, ECO:0000269|PubMed:17910948}

Tissue Location

Expressed in adult heart, brain, placenta, lung and kidney, but not in adult liver and skeletal


muscle. In 17-day old embryo, detected in liver, skeletal muscle, brain, heart and small intestine.

Anti-ZNF307 Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-ZNF307 Antibody - Images



Western blot analysis of ZNF307 expression in MEF (A), PC12 (B), A549 (C) whole cell lysates.



Immunohistochemical analysis of ZNF307 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Anti-ZNF307 Antibody - Background

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human ZNF307. The exact sequence is proprietary.