

**Anti-AMPD3 Antibody**  
Rabbit polyclonal antibody to AMPD3  
Catalog # AP61324

**Specification**

---

**Anti-AMPD3 Antibody - Product Information**

Application	WB
Primary Accession	<a href="#">Q01432</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	88812

**Anti-AMPD3 Antibody - Additional Information**

**Gene ID** 272

**Other Names**

AMP deaminase 3; AMP deaminase isoform E; Erythrocyte AMP deaminase

**Target/Specificity**

Recognizes endogenous levels of AMPD3 protein.

**Dilution**

WB~~WB (1/500 - 1/1000), IH (1/50 - 1/200)

**Format**

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

**Storage**

Store at -20 °C. Stable for 12 months from date of receipt

**Anti-AMPD3 Antibody - Protein Information**

**Name** AMPD3 ([HGNC:470](#))

**Function**

AMP deaminase plays a critical role in energy metabolism.


**Anti-AMPD3 Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### Anti-AMPD3 Antibody - Images



Western blot analysis of AMPD3 expression in HCT116 (A), HEK293T (B), MCF7 (C) whole cell lysates.



Immunohistochemical analysis of AMPD3 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

### Anti-AMPD3 Antibody - Background

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human AMPD3. The exact sequence is proprietary.