

Anti-14-3-3 sigma (pS186) Antibody
Rabbit polyclonal antibody to 14-3-3 sigma (pS186)
Catalog # AP61454

Specification

Anti-14-3-3 sigma (pS186) Antibody - Product Information

Application	WB
Primary Accession	P31947
Other Accession	O70456
Reactivity	Human, Mouse, Rat, Pig, Bovine, SARS
Host	Rabbit
Clonality	Polyclonal
Calculated MW	27774

Anti-14-3-3 sigma (pS186) Antibody - Additional Information

Gene ID 2810

Other Names

HME1; 14-3-3 protein sigma; Epithelial cell marker protein 1; Stratifin

Target/Specificity

Recognizes endogenous levels of 14-3-3 sigma with a site at pS186 protein.

Dilution

WB~~WB (1/500 - 1/1000)

Format

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

Storage

Store at -20 °C. Stable for 12 months from date of receipt

Anti-14-3-3 sigma (pS186) Antibody - Protein Information

Name SFN

Synonyms HME1 {ECO:0000303|PubMed:1390337}

Function

Adapter protein implicated in the regulation of a large spectrum of both general and specialized signaling pathways (PubMed: [15731107](http://www.uniprot.org/citations/15731107) target="_blank">15731107, PubMed: [22634725](http://www.uniprot.org/citations/22634725) target="_blank">22634725, PubMed: [28202711](http://www.uniprot.org/citations/28202711) target="_blank">28202711, PubMed: [37797010](http://www.uniprot.org/citations/37797010) target="_blank">37797010). Binds to a large number of partners, usually by recognition of a phosphoserine or phosphothreonine motif (PubMed: <a

[15731107](http://www.uniprot.org/citations/15731107), PubMed: [22634725](http://www.uniprot.org/citations/22634725), PubMed: [28202711](http://www.uniprot.org/citations/28202711), PubMed: [37797010](http://www.uniprot.org/citations/37797010)). Binding generally results in the modulation of the activity of the binding partner (PubMed: [15731107](http://www.uniprot.org/citations/15731107), PubMed: [22634725](http://www.uniprot.org/citations/22634725), PubMed: [28202711](http://www.uniprot.org/citations/28202711), PubMed: [37797010](http://www.uniprot.org/citations/37797010)). Promotes cytosolic retention of GBP1 GTPase by binding to phosphorylated GBP1, thereby inhibiting the innate immune response (PubMed: [37797010](http://www.uniprot.org/citations/37797010)). Also acts as a TP53/p53-regulated inhibitor of G2/M progression (PubMed: [9659898](http://www.uniprot.org/citations/9659898)). When bound to KRT17, regulates protein synthesis and epithelial cell growth by stimulating Akt/mTOR pathway (By similarity). Acts to maintain desmosome cell junction adhesion in epithelial cells via interacting with and sequestering PKP3 to the cytoplasm, thereby restricting its translocation to existing desmosome structures and therefore maintaining desmosome protein homeostasis (PubMed: [24124604](http://www.uniprot.org/citations/24124604)). May also regulate MDM2 autoubiquitination and degradation and thereby activate p53/TP53 (PubMed: [18382127](http://www.uniprot.org/citations/18382127)).

Cellular Location

Cytoplasm. Nucleus {ECO:0000250|UniProtKB:O70456} Secreted. Note=May be secreted by a non- classical secretory pathway.

Tissue Location

Present mainly in tissues enriched in stratified squamous keratinizing epithelium.


Anti-14-3-3 sigma (pS186) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-14-3-3 sigma (pS186) Antibody - Images





Western blot analysis of 14-3-3 sigma (pS186) expression in COS7 (A), MEF (B), SHSY5Y (C), HCT116 (D), A549 (E) whole cell lysates.

Anti-14-3-3 sigma (pS186) Antibody - Background

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human 14-3-3 sigma with a site at pS186. The exact sequence is proprietary.