

**MeCP2 Polyclonal Antibody**  
Catalog # AP63389**Specification**

---

**MeCP2 Polyclonal Antibody - Product Information**

Application	WB
Primary Accession	<a href="#">P51608</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal

**MeCP2 Polyclonal Antibody - Additional Information****Gene ID** 4204**Other Names**

Methyl-CpG-binding protein 2 (MeCp-2 protein) (MeCp2)

**Dilution**

WB~~WB: 1:2000

**Format**

PBS, pH 7.4, containing 0.09% (W/V) sodium azide as Preservative and 50% Glycerol.

**Storage Conditions**

-20°C

**MeCP2 Polyclonal Antibody - Protein Information****Name** MECP2**Function**

Chromosomal protein that binds to methylated DNA. It can bind specifically to a single methyl-CpG pair. It is not influenced by sequences flanking the methyl-CpGs. Mediates transcriptional repression through interaction with histone deacetylase and the corepressor SIN3A. Binds both 5-methylcytosine (5mC) and 5-hydroxymethylcytosine (5hmC)- containing DNA, with a preference for 5-methylcytosine (5mC).

**Cellular Location**

Nucleus {ECO:0000250|UniProtKB:Q9Z2D6}. Note=Colocalized with methyl-CpG in the genome. Colocalized with TBL1X to the heterochromatin foci.

**Tissue Location**


Present in all adult somatic tissues tested.

**MeCP2 Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### MeCP2 Polyclonal Antibody - Images



#### MeCP2 Polyclonal Antibody - Background

Chromosomal protein that binds to methylated DNA. It can bind specifically to a single methyl-CpG pair. It is not influenced by sequences flanking the methyl-CpGs. Mediates transcriptional repression through interaction with histone deacetylase and the corepressor SIN3A. Binds both 5-methylcytosine (5mC) and 5-hydroxymethylcytosine (5hmC)-containing DNA, with a preference for 5-methylcytosine (5mC).