

ECE-1 Antibody (Center)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP6855c**Specification**

ECE-1 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	P42892
Other Accession	P42893 , Q4PZA2 , P42891
Reactivity	Human, Mouse
Predicted	Bovine, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	392-419

ECE-1 Antibody (Center) - Additional Information**Gene ID** 1889**Other Names**

Endothelin-converting enzyme 1, ECE-1, ECE1

Target/Specificity

This ECE-1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 392-419 amino acids from the Central region of human ECE-1.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ECE-1 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

ECE-1 Antibody (Center) - Protein Information**Name** ECE1**Function** Converts big endothelin-1 to endothelin-1.

Cellular Location

Cell membrane; Single-pass type II membrane protein

Tissue Location


All isoforms are expressed in umbilical vein endothelial cells, polynuclear neutrophils, fibroblasts, atrium cardiomyocytes and ventricles. Isoforms A, B and C are also expressed in placenta, lung, heart, adrenal gland and phaeochromocytoma; isoforms A and C in liver, testis and small intestine; isoform B, C and D in endothelial cells and umbilical vein smooth muscle cells; isoforms C and D in saphenous vein cells, and isoform C in kidney

ECE-1 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)

ECE-1 Antibody (Center) - Images



Western blot analysis of ECE-1 Antibody (Center) (Cat. #AP6855c) in Y79(lane 1), T47D(lane 2) cell line and mouse lung(lane 3), liver(lane 4) tissue lysates (35ug/lane). ECE-1 (arrow) was detected using the purified Pab.

ECE-1 Antibody (Center) - Background

ECE-1 is involved in proteolytic processing of endothelin precursors to biologically active peptides.

ECE-1 Antibody (Center) - References

Cottrell, G.S., et al., J. Biol. Chem. 284 (33), 22411-22425 (2009)

ECE-1 Antibody (Center) - Citations

- [Brain-Wide Insulin Resistance, Tau Phosphorylation Changes, and Hippocampal Neprilysin and Amyloid- \$\beta\$ Alterations in a Monkey Model of Type 1 Diabetes.](#)