

BNIP-2 Polyclonal Antibody
Catalog # AP68694**Specification**

BNIP-2 Polyclonal Antibody - Product Information

| | |
|-------------------|------------------------|
| Application | WB |
| Primary Accession | Q12982 |
| Reactivity | Human, Mouse |
| Host | Rabbit |
| Clonality | Polyclonal |

BNIP-2 Polyclonal Antibody - Additional Information**Gene ID** 663**Other Names**

BNIP2; NIP2; BCL2/adenovirus E1B 19 kDa protein-interacting protein 2

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

BNIP-2 Polyclonal Antibody - Protein Information**Name** BNIP2**Synonyms** NIP2**Function**

Implicated in the suppression of cell death. Interacts with the BCL-2 and adenovirus E1B 19 kDa proteins.

Cellular Location



Cytoplasm. Cytoplasm, perinuclear region. Note=Localizes to the nuclear envelope region and to other cytoplasmic structures

BNIP-2 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BNIP-2 Polyclonal Antibody - Images



BNIP-2 Polyclonal Antibody - Background

Implicated in the suppression of cell death. Interacts with the BCL-2 and adenovirus E1B 19 kDa proteins.