

**DcR3 Polyclonal Antibody**  
Catalog # AP69486**Specification**

---

**DcR3 Polyclonal Antibody - Product Information**

Application	<b>WB</b>
Primary Accession	<a href="#">O95407</a>
Reactivity	<b>Human</b>
Host	<b>Rabbit</b>
Clonality	<b>Polyclonal</b>

**DcR3 Polyclonal Antibody - Additional Information****Gene ID** 8771**Other Names**

TNFRSF6B; DCR3; TR6; Tumor necrosis factor receptor superfamily member 6B; Decoy receptor 3; DcR3; Decoy receptor for Fas ligand; M68

**Dilution**

WB~~Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/5000. Not yet tested in other applications.

**Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

**Storage Conditions**

-20°C

**DcR3 Polyclonal Antibody - Protein Information****Name** TNFRSF6B**Synonyms** DCR3, TR6**Function**

Decoy receptor that can neutralize the cytotoxic ligands TNFS14/LIGHT, TNFSF15 and TNFSF6/FASL. Protects against apoptosis.

**Cellular Location**

Secreted.

**Tissue Location**



Detected in fetal lung, brain and liver. Detected in adult stomach, spinal cord, lymph node, trachea, spleen, colon and lung. Highly expressed in several primary tumors from colon, stomach, rectum, esophagus and in SW480 colon carcinoma cells

## DcR3 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## DcR3 Polyclonal Antibody - Images



## DcR3 Polyclonal Antibody - Background

Decoy receptor that can neutralize the cytotoxic ligands TNFS14/LIGHT, TNFSF15 and

TNFSF6/FASL. Protects against apoptosis.