

FRP-2 Polyclonal Antibody

Catalog # AP69973

### Specification

# FRP-2 Polyclonal Antibody - Product Information

Application Primary Accession Reactivity Host Clonality WB <u>O96HF1</u> Human, Mouse, Rat Rabbit Polyclonal

### **FRP-2** Polyclonal Antibody - Additional Information

Gene ID 6423

**Other Names** SFRP2; FRP2; SARP1; FKSG12; Secreted frizzled-related protein 2; FRP-2; sFRP-2; Secreted apoptosis-related protein 1; SARP-1

Dilution WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.

**Format** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

**Storage Conditions** -20°C

# **FRP-2** Polyclonal Antibody - Protein Information

Name SFRP2

Synonyms FRP2, SARP1

#### Function

Soluble frizzled-related proteins (sFRPS) function as modulators of Wnt signaling through direct interaction with Wnts. They have a role in regulating cell growth and differentiation in specific cell types. SFRP2 may be important for eye retinal development and for myogenesis.

Cellular Location Secreted.

**Tissue Location** 

Expressed in adipose tissue, heart, brain, skeletal muscle, pancreas, thymus, prostate, testis, ovary, small intestine and colon. Highest levels in adipose tissue, small intestine and colon




# FRP-2 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# FRP-2 Polyclonal Antibody - Images



# FRP-2 Polyclonal Antibody - Background

Soluble frizzled-related proteins (sFRPS) function as modulators of Wnt signaling through direct



interaction with Wnts. They have a role in regulating cell growth and differentiation in specific cell types. SFRP2 may be important for eye retinal development and for myogenesis.