

**FRP-2 Polyclonal Antibody**  
Catalog # AP69973**Specification**

---

**FRP-2 Polyclonal Antibody - Product Information**

Application	WB
Primary Accession	<a href="#">Q96HF1</a>
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

**FRP-2 Polyclonal Antibody - Additional Information****Gene ID** 6423**Other Names**

SFRP2; FRP2; SARP1; FKSG12; Secreted frizzled-related protein 2; FRP-2; sFRP-2; Secreted apoptosis-related protein 1; SARP-1

**Dilution**

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.

**Format**

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

**Storage Conditions**

-20°C

**FRP-2 Polyclonal Antibody - Protein Information****Name** SFRP2**Synonyms** FRP2, SARP1**Function**

Soluble frizzled-related proteins (sFRPS) function as modulators of Wnt signaling through direct interaction with Wnts. They have a role in regulating cell growth and differentiation in specific cell types. SFRP2 may be important for eye retinal development and for myogenesis.

**Cellular Location**

Secreted.

**Tissue Location**



Expressed in adipose tissue, heart, brain, skeletal muscle, pancreas, thymus, prostate, testis, ovary, small intestine and colon. Highest levels in adipose tissue, small intestine and colon

## FRP-2 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## FRP-2 Polyclonal Antibody - Images



## FRP-2 Polyclonal Antibody - Background

Soluble frizzled-related proteins (sFRPS) function as modulators of Wnt signaling through direct

interaction with Wnts. They have a role in regulating cell growth and differentiation in specific cell types. SFRP2 may be important for eye retinal development and for myogenesis.