

PRDM12 Polyclonal Antibody
Catalog # AP72035**Specification**

PRDM12 Polyclonal Antibody - Product Information

Application	WB
Primary Accession	Q9H4Q4
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal

PRDM12 Polyclonal Antibody - Additional Information**Gene ID** 59335**Other Names**

PRDM12; PFM9; PR domain zinc finger protein 12; PR domain-containing protein 12

Dilution

WB~~Western Blot: 1/500 - 1/2000. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

PRDM12 Polyclonal Antibody - Protein Information**Name** PRDM12**Synonyms** PFM9**Function**

Involved in the positive regulation of histone H3-K9 dimethylation.

Cellular Location

Nucleus.

Tissue Location


Not found in adult tissues except in dorsal root ganglia.

PRDM12 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PRDM12 Polyclonal Antibody - Images



PRDM12 Polyclonal Antibody - Background

Involved in the positive regulation of histone H3-K9 dimethylation.