

### **Rap 2C Polyclonal Antibody**

Catalog # AP72187

# **Specification**

## **Rap 2C Polyclonal Antibody - Product Information**

Application WB
Primary Accession Q9Y3L5

Reactivity
Host
Clonality
Human, Mouse
Rabbit
Polyclonal

### Rap 2C Polyclonal Antibody - Additional Information

**Gene ID 57826** 

**Other Names** 

RAP2C; Ras-related protein Rap-2c

Dilution

WB~~Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.

**Format** 

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

**Storage Conditions** 

-20°C

# **Rap 2C Polyclonal Antibody - Protein Information**

## Name RAP2C

#### **Function**

Small GTP-binding protein which cycles between a GDP-bound inactive and a GTP-bound active form. May play a role in cytoskeletal rearrangements and regulate cell spreading through activation of the effector TNIK. May play a role in SRE-mediated gene transcription.

## **Cellular Location**

Cytoplasm. Recycling endosome membrane; Lipid-anchor; Cytoplasmic side

#### **Tissue Location**

Expressed in liver, skeletal muscle, prostate, uterus, rectum, stomach, and bladder and to a lower extent in brain, kidney, pancreas, and bone marrow. Expressed in mononuclear leukocytes and megakaryocytes.

#### Rap 2C Polyclonal Antibody - Protocols




Tel: 858.875.1900 Fax: 858.875.1999

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Rap 2C Polyclonal Antibody - Images



Rap 2C Polyclonal Antibody - Background

Small GTP-binding protein which cycles between a GDP- bound inactive and a GTP-bound active form. May play a role in cytoskeletal rearrangements and regulate cell spreading through activation of the effector TNIK. May play a role in SRE-mediated gene transcription.