

Tenascin-C Polyclonal Antibody
Catalog # AP73731**Specification****Tenascin-C Polyclonal Antibody - Product Information**

Application	WB
Primary Accession	P24821
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

Tenascin-C Polyclonal Antibody - Additional Information**Gene ID** 3371**Other Names**

TNC; HXB; Tenascin; TN; Cytotactin; GEM; GP 150-225; Glioma-associated-extracellular matrix antigen; Hexabrachion; JI; Myotendinous antigen; Neuronectin; Tenascin-C; TN-C

Dilution

WB~~Western Blot: 1/500 - 1/2000. IHC-p: 1:100-1:300. ELISA: 1/10000. Not yet tested in other applications.

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

Tenascin-C Polyclonal Antibody - Protein Information**Name** TNC**Synonyms** HXB**Function**

Extracellular matrix protein implicated in guidance of migrating neurons as well as axons during development, synaptic plasticity as well as neuronal regeneration. Promotes neurite outgrowth from cortical neurons grown on a monolayer of astrocytes. Ligand for integrins alpha-8/beta-1, alpha-9/beta-1, alpha-V/beta-3 and alpha- V/beta-6. In tumors, stimulates angiogenesis by elongation, migration and sprouting of endothelial cells (PubMed:19884327).

Cellular Location

Secreted, extracellular space, extracellular matrix

Tissue Location



Detected in fibroblasts (at protein level).




Tenascin-C Polyclonal Antibody - Protocols




Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Tenascin-C Polyclonal Antibody - Images









Tenascin-C Polyclonal Antibody - Background

Extracellular matrix protein implicated in guidance of migrating neurons as well as axons during development, synaptic plasticity as well as neuronal regeneration. Promotes neurite outgrowth from cortical neurons grown on a monolayer of astrocytes. Ligand for integrins alpha-8/beta-1, alpha-9/beta-1, alpha-V/beta-3 and alpha-V/beta-6. In tumors, stimulates angiogenesis by elongation, migration and sprouting of endothelial cells (PubMed:19884327).