

IL-17RB Polyclonal Antibody
Catalog # AP73964

Specification

IL-17RB Polyclonal Antibody - Product Information

Application	WB
Primary Accession	Q9NRM6
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal

IL-17RB Polyclonal Antibody - Additional Information

Gene ID 55540

Other Names

Interleukin-17 receptor B (IL-17 receptor B) (IL-17RB) (Cytokine receptor-like 4) (IL-17 receptor homolog 1) (IL-17Rh1) (IL17Rh1) (Interleukin-17B receptor) (IL-17B receptor)

Dilution

WB~~WB 1:500-2000, ELISA 1:10000-20000

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

Storage Conditions

-20°C

IL-17RB Polyclonal Antibody - Protein Information

Name IL17RB

Synonyms CRL4, EVI27, IL17BR

Function

Receptor for the pro-inflammatory cytokines IL17B and IL17E. May play a role in controlling the growth and/or differentiation of hematopoietic cells.

Cellular Location

[Isoform 1]: Cell membrane; Single-pass type I membrane protein

Tissue Location



Expressed in several endocrine tissues, mostly in fetal and adult liver, kidney, pancreas, testis, colon, brain and small intestine; not detected in peripheral blood leukocytes, lymphoid organs, and most cell lines

IL-17RB Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

IL-17RB Polyclonal Antibody - Images



IL-17RB Polyclonal Antibody - Background

Receptor for the proinflammatory cytokines IL17B and IL17E. May play a role in controlling the

growth and/or differentiation of hematopoietic cells.