

## TGFβ2 Polyclonal Antibody Catalog # AP74076

### Specification

---

#### TGFβ2 Polyclonal Antibody - Product Information

Application	WB
Primary Accession	<a href="#">P61812</a>
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal

#### TGFβ2 Polyclonal Antibody - Additional Information

Gene ID 7042

##### Other Names

Transforming growth factor beta-2 (TGF-beta-2) (BSC-1 cell growth inhibitor) (Cetermin)  
(Glioblastoma-derived T-cell suppressor factor) (G-TSF) (Polyergin)

##### Dilution

WB~~WB 1:500-2000,IHC-p 1:500-200, ELISA 1:10000-20000

##### Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.09% (W/V) sodium azide.

##### Storage Conditions

-20°C

#### TGFβ2 Polyclonal Antibody - Protein Information

Name TGFB2

##### Function

[Transforming growth factor beta-2 proprotein]: Precursor of the Latency-associated peptide (LAP) and Transforming growth factor beta-2 (TGF-beta-2) chains, which constitute the regulatory and active subunit of TGF-beta-2, respectively.

##### Cellular Location

[Latency-associated peptide]: Secreted, extracellular space, extracellular matrix  
{ECO:0000250|UniProtKB:P01137}




#### TGFβ2 Polyclonal Antibody - Protocols



Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### TGF $\beta$ 2 Polyclonal Antibody - Images





### **TGFβ2 Polyclonal Antibody - Background**

Transforming growth factor beta-2 proprotein: Precursor of the Latency-associated peptide (LAP) and Transforming growth factor beta-2 (TGF-beta-2) chains, which constitute the regulatory and active subunit of TGF-beta-2, respectively.