

Ferritin Heavy Chain Rabbit mAb
Catalog # AP74984**Specification**

Ferritin Heavy Chain Rabbit mAb - Product Information

| | |
|-------------------|----------------------------|
| Application | WB, IF |
| Primary Accession | P02794 |
| Reactivity | Human, Mouse, Rat, Hamster |
| Host | Rabbit |
| Clonality | Monoclonal Antibody |
| Calculated MW | 21226 |

Ferritin Heavy Chain Rabbit mAb - Additional Information**Gene ID** 2495**Other Names**

FTH1

Dilution

WB~~1/500-1/1000

IF~~1/50-1/200

Format

Liquid

Ferritin Heavy Chain Rabbit mAb - Protein Information**Name** FTH1**Synonyms** FTH, FTHL6**Function**

Stores iron in a soluble, non-toxic, readily available form. Important for iron homeostasis. Has ferroxidase activity (PubMed:[9003196](http://www.uniprot.org/citations/9003196)). Iron is taken up in the ferrous form and deposited as ferric hydroxides after oxidation (PubMed:[9003196](http://www.uniprot.org/citations/9003196)). Also plays a role in delivery of iron to cells (By similarity). Mediates iron uptake in capsule cells of the developing kidney (By similarity). Delivery to lysosomes is mediated by the cargo receptor NCOA4 for autophagic degradation and release of iron (PubMed:[24695223](http://www.uniprot.org/citations/24695223), PubMed:[26436293](http://www.uniprot.org/citations/26436293)).

Cellular Location

Cytoplasm. Lysosome. Cytoplasmic vesicle, autophagosome

Tissue Location

Expressed in the liver.

Ferritin Heavy Chain Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Ferritin Heavy Chain Rabbit mAb - Images



