

VCAM1 Rabbit mAb
Catalog # AP74993**Specification****VCAM1 Rabbit mAb - Product Information**

Application	WB, IHC, IP
Primary Accession	P19320
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	81276

VCAM1 Rabbit mAb - Additional Information**Gene ID** 7412**Other Names**

VCAM1

Dilution

WB~~1/500-1/1000

IHC~~1/50-1/100

IP~~1/20

Format

Liquid

VCAM1 Rabbit mAb - Protein Information**Name** VCAM1**Function**

Cell adhesion glycoprotein predominantly expressed on the surface of endothelial cells that plays an important role in immune surveillance and inflammation (PubMed:<<http://www.uniprot.org/citations/31310649>>31310649). Acts as a major regulator of leukocyte adhesion to the endothelium through interaction with different types of integrins (PubMed:<<http://www.uniprot.org/citations/10209034>>10209034). During inflammatory responses, binds ligands on the surface of activated endothelial cells to initiate the activation of calcium channels and the plasma membrane-associated small GTPase RAC1 leading to leukocyte transendothelial migration (PubMed:<<http://www.uniprot.org/citations/22970700>>22970700). Serves also as a quality- control checkpoint for entry into bone marrow by providing a 'don't-eat-me' stamping in the context of major histocompatibility complex (MHC) class-I presentation (PubMed:<<http://www.uniprot.org/citations/35210567>>35210567).

Cellular Location

[Vascular cell adhesion protein 1]: Cell membrane; Single-pass type I membrane protein

Tissue Location

Expressed on inflamed vascular endothelium, as well as on macrophage-like and dendritic cell types in both normal and inflamed tissue

VCAM1 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

VCAM1 Rabbit mAb - Images



