

**ARPC2 Rabbit mAb**  
Catalog # AP75105**Specification****ARPC2 Rabbit mAb - Product Information**

|                   |                        |
|-------------------|------------------------|
| Application       | WB, IHC, IF            |
| Primary Accession | <a href="#">O15144</a> |
| Reactivity        | Human, Mouse, Rat      |
| Host              | Rabbit                 |
| Clonality         | Monoclonal Antibody    |
| Calculated MW     | 34333                  |

**ARPC2 Rabbit mAb - Additional Information**

Gene ID 10109

**Other Names**

ARPC2

**Dilution**

WB~~1/500-1/1000

IHC~~1/50-1/100

IF~~1/50-1/200

**Format**

Liquid

**ARPC2 Rabbit mAb - Protein Information**

Name ARPC2

Synonyms ARC34

**Function**

Actin-binding component of the Arp2/3 complex, a multiprotein complex that mediates actin polymerization upon stimulation by nucleation-promoting factor (NPF) (PubMed:<a href="http://www.uniprot.org/citations/9230079" target="\_blank">9230079</a>). The Arp2/3 complex mediates the formation of branched actin networks in the cytoplasm, providing the force for cell motility (PubMed:<a href="http://www.uniprot.org/citations/9230079" target="\_blank">9230079</a>). Seems to contact the mother actin filament (PubMed:<a href="http://www.uniprot.org/citations/9230079" target="\_blank">9230079</a>). In addition to its role in the cytoplasmic cytoskeleton, the Arp2/3 complex also promotes actin polymerization in the nucleus, thereby regulating gene transcription and repair of damaged DNA (PubMed:<a href="http://www.uniprot.org/citations/29925947" target="\_blank">29925947</a>). The Arp2/3 complex promotes homologous recombination (HR) repair in response to DNA damage by promoting nuclear actin polymerization, leading to drive motility of double-strand breaks (DSBs) (PubMed:<a href="http://www.uniprot.org/citations/29925947" target="\_blank">29925947</a>).

### Cellular Location

Cytoplasm, cytoskeleton. Cell projection. Synapse, synaptosome  
{ECO:0000250|UniProtKB:Q9CVB6}. Nucleus

### ARPC2 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### ARPC2 Rabbit mAb - Images



