

BAP31 Rabbit mAb
Catalog # AP75145**Specification**

BAP31 Rabbit mAb - Product Information

Application	WB, IHC, IF
Primary Accession	P51572
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	27992

BAP31 Rabbit mAb - Additional Information

Gene ID 10134

Other Names

BCAP31

Dilution

WB~~1/500-1/1000

IHC~~1/50-1/100

IF~~1/50-1/200

Format

Liquid

BAP31 Rabbit mAb - Protein InformationName BCAP31 ([HGNC:16695](#))**Function**

Functions as a chaperone protein (PubMed: [18287538](http://www.uniprot.org/citations/18287538)), PubMed: [9396746](http://www.uniprot.org/citations/9396746)). Is one of the most abundant endoplasmic reticulum (ER) proteins (PubMed: [18287538](http://www.uniprot.org/citations/18287538), PubMed: [9396746](http://www.uniprot.org/citations/9396746)). Plays a role in the export of secreted proteins in the ER, the recognition of abnormally folded protein and their targeting to the ER associated-degradation (ERAD) (PubMed: [18287538](http://www.uniprot.org/citations/18287538), PubMed: [9396746](http://www.uniprot.org/citations/9396746)). Also serves as a cargo receptor for the export of transmembrane proteins (By similarity). Plays a role in the assembly of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I) by stimulating the translocation of NDUFS4 and NDUFB11 from the cytosol to the mitochondria via interaction with TOMM40 (PubMed: [31206022](http://www.uniprot.org/citations/31206022)). In response to ER stress, delocalizes from the ER-mitochondria contact sites and binds BCL2 (PubMed: [31206022](http://www.uniprot.org/citations/31206022)). May be involved in CASP8-mediated apoptosis (PubMed: [31206022](http://www.uniprot.org/citations/31206022)).

href="http://www.uniprot.org/citations/10958671" target="_blank">10958671).

Cellular Location

Endoplasmic reticulum membrane; Multi-pass membrane protein Endoplasmic reticulum-Golgi intermediate compartment membrane; Multi-pass membrane protein. Note=May shuttle between the ER and the intermediate compartment/cis-Golgi complex (PubMed:9396746). Associates with the mitochondria-associated endoplasmic reticulum membrane via interaction with TOMM40 (PubMed:31206022)

Tissue Location

Ubiquitous. Highly expressed in neurons and discrete endocrine cells.

BAP31 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BAP31 Rabbit mAb - Images



