

Cyclin A2 Rabbit mAb
Catalog # AP75312**Specification**

Cyclin A2 Rabbit mAb - Product Information

Application	WB, IHC, IF
Primary Accession	P20248
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	48551

Cyclin A2 Rabbit mAb - Additional Information**Gene ID** 890**Other Names**
CCNA2**Dilution**WB~~1/500-1/1000
IHC~~1/50-1/100
IF~~1/50-1/200**Format**

Liquid

Cyclin A2 Rabbit mAb - Protein Information**Name** CCNA2 ([HGNC:1578](#))**Function**

Cyclin which controls both the G1/S and the G2/M transition phases of the cell cycle. Functions through the formation of specific serine/threonine protein kinase holoenzyme complexes with the cyclin- dependent protein kinases CDK1 or CDK2. The cyclin subunit confers the substrate specificity of these complexes and differentially interacts with and activates CDK1 and CDK2 throughout the cell cycle.

Cellular Location

Nucleus. Cytoplasm. Note=Exclusively nuclear during interphase (PubMed:1312467). Detected in the nucleus and the cytoplasm at prophase (PubMed:1312467). Cytoplasmic when associated with SCAPER (PubMed:17698606).

Cyclin A2 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Cyclin A2 Rabbit mAb - Images



