

Cystatin C Rabbit mAb
Catalog # AP75322**Specification**

Cystatin C Rabbit mAb - Product Information

Application	WB, IHC
Primary Accession	P01034
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	15799

Cystatin C Rabbit mAb - Additional Information**Gene ID** 1471**Other Names**
CST3**Dilution**
WB~~1/500-1/1000
IHC~~1/50-1/100**Format**
Liquid**Cystatin C Rabbit mAb - Protein Information****Name** CST3**Function**

As an inhibitor of cysteine proteinases, this protein is thought to serve an important physiological role as a local regulator of this enzyme activity.

Cellular Location
Secreted.**Tissue Location**

Expressed in submandibular and sublingual saliva but not in parotid saliva (at protein level). Expressed in various body fluids, such as the cerebrospinal fluid and plasma. Expressed in highest levels in the epididymis, vas deferens, brain, thymus, and ovary and the lowest in the submandibular gland

Cystatin C Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Cystatin C Rabbit mAb - Images



