

Cystatin C Rabbit mAb
Catalog # AP75322

Specification

Cystatin C Rabbit mAb - Product Information

Application	WB, IHC
Primary Accession	P01034
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	15799

Cystatin C Rabbit mAb - Additional Information

Gene ID 1471

Other Names
CST3

Dilution
WB~~1/500-1/1000
IHC~~1/50-1/100

Format
Liquid

Cystatin C Rabbit mAb - Protein Information

Name CST3

Function
As an inhibitor of cysteine proteinases, this protein is thought to serve an important physiological role as a local regulator of this enzyme activity.

Cellular Location
Secreted.

Tissue Location
Expressed in submandibular and sublingual saliva but not in parotid saliva (at protein level).
Expressed in various body fluids, such as the cerebrospinal fluid and plasma. Expressed in highest levels in the epididymis, vas deferens, brain, thymus, and ovary and the lowest in the submandibular gland

Cystatin C Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Cystatin C Rabbit mAb - Images



