

**Cystatin C Rabbit mAb**  
Catalog # AP75322**Specification**

---

**Cystatin C Rabbit mAb - Product Information**

Application	WB, IHC
Primary Accession	<a href="#">P01034</a>
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	15799

**Cystatin C Rabbit mAb - Additional Information****Gene ID** 1471**Other Names**  
CST3**Dilution**  
WB~~1/500-1/1000  
IHC~~1/50-1/100**Format**  
Liquid**Cystatin C Rabbit mAb - Protein Information****Name** CST3**Function**

As an inhibitor of cysteine proteinases, this protein is thought to serve an important physiological role as a local regulator of this enzyme activity.

**Cellular Location**

Secreted.

**Tissue Location**

Expressed in submandibular and sublingual saliva but not in parotid saliva (at protein level). Expressed in various body fluids, such as the cerebrospinal fluid and plasma. Expressed in highest levels in the epididymis, vas deferens, brain, thymus, and ovary and the lowest in the submandibular gland

**Cystatin C Rabbit mAb - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### Cystatin C Rabbit mAb - Images



