

**Cytokeratin 7 Rabbit mAb**  
Catalog # AP75333**Specification**

---

**Cytokeratin 7 Rabbit mAb - Product Information**

Application	WB, IHC, IF
Primary Accession	<a href="#">P08729</a>
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	51386

**Cytokeratin 7 Rabbit mAb - Additional Information****Gene ID** 3855**Other Names**  
KRT7**Dilution**  
WB~~1/500-1/1000  
IHC~~1/50-1/100  
IF~~1/50-1/200**Format**  
Liquid**Cytokeratin 7 Rabbit mAb - Protein Information****Name** KRT7**Synonyms** SCL**Function**  
Blocks interferon-dependent interphase and stimulates DNA synthesis in cells. Involved in the translational regulation of the human papillomavirus type 16 E7 mRNA (HPV16 E7).**Cellular Location**  
Cytoplasm.**Tissue Location**  
Expressed in cultured epidermal, bronchial and mesothelial cells but absent in colon, ectocervix and liver. Observed throughout the glandular cells in the junction between stomach and esophagus but is absent in the esophagus.**Cytokeratin 7 Rabbit mAb - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### Cytokeratin 7 Rabbit mAb - Images



