

# p27 Kip 1 Rabbit mAb

Catalog # AP75850

### Specification

## p27 Kip 1 Rabbit mAb - Product Information

Application **Primary Accession** Reactivity

Human, Mouse, Rat Host Rabbit

WB, IHC

P46527

Clonality **Monoclonal Antibody** 

Calculated MW 22073

### p27 Kip 1 Rabbit mAb - Additional Information

**Gene ID 1027** 

**Other Names** CDKN1B

Dilution WB~~1/500-1/1000 IHC~~1/50-1/100

**Format** Liquid

#### p27 Kip 1 Rabbit mAb - Protein Information

Name CDKN1B {ECO:0000303|PubMed:20824794}

### **Function**

Important regulator of cell cycle progression. Inhibits the kinase activity of CDK2 bound to cyclin A, but has little inhibitory activity on CDK2 bound to SPDYA (PubMed: <a href="http://www.uniprot.org/citations/28666995" target=" blank">28666995</a>). Involved in G1 arrest. Potent inhibitor of cyclin E- and cyclin A-CDK2 complexes. Forms a complex with cyclin type D-CDK4 complexes and is involved in the assembly, stability, and modulation of CCND1-CDK4 complex activation. Acts either as an inhibitor or an activator of cyclin type D-CDK4 complexes depending on its phosphorylation state and/or stoichometry.

#### **Cellular Location**

Nucleus. Cytoplasm. Endosome. Note=Nuclear and cytoplasmic in quiescent cells. AKT- or RSK-mediated phosphorylation on Thr-198, binds 14-3-3, translocates to the cytoplasm and promotes cell cycle progression. Mitogen-activated UHMK1 phosphorylation on Ser-10 also results in translocation to the cytoplasm and cell cycle progression. Phosphorylation on Ser-10 facilitates nuclear export. Translocates to the nucleus on phosphorylation of Tyr-88 and Tyr-89. Colocalizes at the endosome with SNX6; this leads to lysosomal degradation (By similarity)

#### **Tissue Location**



Expressed in kidney (at protein level) (PubMed:15509543). Expressed in all tissues tested (PubMed:8033212) Highest levels in skeletal muscle, lowest in liver and kidney (PubMed:8033212).

# p27 Kip 1 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

## p27 Kip 1 Rabbit mAb - Images







