

Securin Rabbit mAb
Catalog # AP76065**Specification**

Securin Rabbit mAb - Product Information

Application	WB, IHC
Primary Accession	O95997
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	22024

Securin Rabbit mAb - Additional Information**Gene ID** 9232**Other Names**

PTTG1

Dilution

WB~~1/500-1/1000

IHC~~1/50-1/100

Format

Liquid

Securin Rabbit mAb - Protein Information**Name** PTTG1**Synonyms** EAP1, PTTG, TUTR1**Function**

Regulatory protein, which plays a central role in chromosome stability, in the p53/TP53 pathway, and DNA repair. Probably acts by blocking the action of key proteins. During the mitosis, it blocks Separase/ESPL1 function, preventing the proteolysis of the cohesin complex and the subsequent segregation of the chromosomes. At the onset of anaphase, it is ubiquitinated, conducting to its destruction and to the liberation of ESPL1. Its function is however not limited to a blocking activity, since it is required to activate ESPL1. Negatively regulates the transcriptional activity and related apoptosis activity of TP53. The negative regulation of TP53 may explain the strong transforming capability of the protein when it is overexpressed. May also play a role in DNA repair via its interaction with Ku, possibly by connecting DNA damage-response pathways with sister chromatid separation.

Cellular Location

Cytoplasm. Nucleus.

Tissue Location

Expressed at low level in most tissues, except in adult testis, where it is highly expressed.
Overexpressed in many patients suffering from pituitary adenomas, primary epithelial neoplasias,
and esophageal cancer.

Securin Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Securin Rabbit mAb - Images



