

Thyroid Transcription Factor 1 Rabbit mAb
Catalog # AP76213**Specification****Thyroid Transcription Factor 1 Rabbit mAb - Product Information**

Application	WB, IHC, IP
Primary Accession	P43699
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	38596

Thyroid Transcription Factor 1 Rabbit mAb - Additional Information**Gene ID** 7080**Other Names**

NKX2-1

Dilution

WB~~1/500-1/1000

IHC~~1/50-1/100

IP~~1/20

Format

Liquid

Thyroid Transcription Factor 1 Rabbit mAb - Protein Information**Name** NKX2-1 ([HGNC:11825](#))**Synonyms** NKX2A, TITF1, TTF1**Function**

Transcription factor that binds and activates the promoter of thyroid specific genes such as thyroglobulin, thyroperoxidase, and thyrotropin receptor. Crucial in the maintenance of the thyroid differentiation phenotype. May play a role in lung development and surfactant homeostasis. Forms a regulatory loop with GRHL2 that coordinates lung epithelial cell morphogenesis and differentiation. Activates the transcription of GNRHR and plays a role in enhancing the circadian oscillation of its gene expression. Represses the transcription of the circadian transcriptional repressor NR1D1 (By similarity).

Cellular Location

Nucleus {ECO:0000250|UniProtKB:P50220}.

Tissue Location

Thyroid and lung.

Thyroid Transcription Factor 1 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Thyroid Transcription Factor 1 Rabbit mAb - Images



