

ADK Rabbit mAb
Catalog # AP76381**Specification**

ADK Rabbit mAb - Product Information

| | |
|-------------------|----------------------------|
| Application | WB, IHC |
| Primary Accession | P55263 |
| Reactivity | Human, Mouse, Rat |
| Host | Rabbit |
| Clonality | Monoclonal Antibody |
| Calculated MW | 40545 |

ADK Rabbit mAb - Additional Information**Gene ID** 132**Other Names**

ADK

Dilution

WB~~1/500-1/1000

IHC~~1/50-1/100

Format

Liquid

ADK Rabbit mAb - Protein Information**Name** ADK ([HGNC:257](#))**Function**

Catalyzes the phosphorylation of the purine nucleoside adenosine at the 5' position in an ATP-dependent manner. Serves as a potential regulator of concentrations of extracellular adenosine and intracellular adenine nucleotides.

Cellular Location

[Isoform 1]: Nucleus

Tissue Location

Widely expressed. Highest level in placenta, liver, muscle and kidney.

ADK Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ADK Rabbit mAb - Images



