

**ADK Rabbit mAb**  
Catalog # AP76381**Specification**

---

**ADK Rabbit mAb - Product Information**

Application	<b>WB, IHC</b>
Primary Accession	<a href="#">P55263</a>
Reactivity	<b>Human, Mouse, Rat</b>
Host	<b>Rabbit</b>
Clonality	<b>Monoclonal Antibody</b>
Calculated MW	<b>40545</b>

**ADK Rabbit mAb - Additional Information****Gene ID** 132**Other Names**

ADK

**Dilution**

WB~~1/500-1/1000

IHC~~1/50-1/100

**Format**

Liquid

**ADK Rabbit mAb - Protein Information****Name** ADK ([HGNC:257](#))**Function**

Catalyzes the phosphorylation of the purine nucleoside adenosine at the 5' position in an ATP-dependent manner. Serves as a potential regulator of concentrations of extracellular adenosine and intracellular adenine nucleotides.

**Cellular Location**

[Isoform 1]: Nucleus

**Tissue Location**

Widely expressed. Highest level in placenta, liver, muscle and kidney.

**ADK Rabbit mAb - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)

- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### ADK Rabbit mAb - Images



