

**beta Dystroglycan Rabbit mAb**  
**Catalog # AP76408****Specification**

---

**beta Dystroglycan Rabbit mAb - Product Information**

Application	WB
Primary Accession	<a href="#">Q14118</a>
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	97441

**beta Dystroglycan Rabbit mAb - Additional Information****Gene ID** 1605**Other Names**  
DAG1**Dilution**  
WB~~1/500-1/1000**Format**  
Liquid**beta Dystroglycan Rabbit mAb - Protein Information****Name** DAG1 ([HGNC:2666](#))**Function**

The dystroglycan complex is involved in a number of processes including laminin and basement membrane assembly, sarcolemmal stability, cell survival, peripheral nerve myelination, nodal structure, cell migration, and epithelial polarization. [Beta-dystroglycan]: Transmembrane protein that plays important roles in connecting the extracellular matrix to the cytoskeleton. Acts as a cell adhesion receptor in both muscle and non- muscle tissues. Receptor for both DMD and UTRN and, through these interactions, scaffolds axin to the cytoskeleton. Also functions in cell adhesion-mediated signaling and implicated in cell polarity.

**Cellular Location**

[Alpha-dystroglycan]: Secreted, extracellular space

**Tissue Location**

Expressed in a variety of fetal and adult tissues. In epidermal tissue, located to the basement membrane. Also expressed in keratinocytes and fibroblasts.

**beta Dystroglycan Rabbit mAb - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### **beta Dystroglycan Rabbit mAb - Images**

