

### **HMG4 Rabbit mAb**

**Catalog # AP76535** 

## **Specification**

#### **HMG4** Rabbit mAb - Product Information

Application
Primary Accession
Reactivity
Host
Clonality
Calculated MW

WB, IHC, IP
O15347
Human, Mouse, Rat
Rabbit
Monoclonal Antibody
22980

### **HMG4** Rabbit mAb - Additional Information

**Gene ID 3149** 

Other Names HMGB3

**Dilution**WB~~1/500-1/1000
IHC~~1/50-1/100
IP~~1/20

Format Liquid

### HMG4 Rabbit mAb - Protein Information

Name HMGB3

Synonyms HMG2A, HMG4

### **Function**

Multifunctional protein with various roles in different cellular compartments. May act in a redox sensitive manner. Associates with chromatin and binds DNA with a preference for non-canonical DNA structures such as single-stranded DNA. Can bend DNA and enhance DNA flexibility by looping thus providing a mechanism to promote activities on various gene promoters (By similarity). Proposed to be involved in the innate immune response to nucleic acids by acting as a cytoplasmic promiscuous immunogenic DNA/RNA sensor (By similarity). Negatively regulates B-cell and myeloid cell differentiation. In hematopoietic stem cells may regulate the balance between self-renewal and differentiation. Involved in negative regulation of canonical Wnt signaling (By similarity).

## **Cellular Location**

Nucleus {ECO:0000250|UniProtKB:P40618, ECO:0000255|PROSITE-ProRule:PRU00267}. Chromosome Cytoplasm {ECO:0000250|UniProtKB:O54879}



**Tissue Location** 

Expressed predominantly in placenta.

## **HMG4** Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# **HMG4 Rabbit mAb - Images**









