

Tissue Factor Rabbit mAb
Catalog # AP76740**Specification**

Tissue Factor Rabbit mAb - Product Information

Application	WB, IHC, IF
Primary Accession	P13726
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	33068

Tissue Factor Rabbit mAb - Additional Information**Gene ID** 2152**Other Names**

F3

Dilution

WB~~1/500-1/1000

IHC~~1/50-1/100

IF~~1/50-1/200

Format

Liquid

Tissue Factor Rabbit mAb - Protein Information**Name** F3**Function**

Initiates blood coagulation by forming a complex with circulating factor VII or VIIa. The [TF:VIIa] complex activates factors IX or X by specific limited proteolysis. TF plays a role in normal hemostasis by initiating the cell-surface assembly and propagation of the coagulation protease cascade.

Cellular Location

[Isoform 1]: Membrane; Single-pass type I membrane protein

Tissue Location

Lung, placenta and pancreas.

Tissue Factor Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Tissue Factor Rabbit mAb - Images



