

## Androgen Receptor Rabbit mAb

**Catalog # AP76924** 

## **Specification**

## Androgen Receptor Rabbit mAb - Product Information

Application Primary Accession Reactivity Host Clonality WB, IHC-P, ICC
P10275
Human, Mouse, Rat
Rabbit
Monoclonal Antibody
99188

## Androgen Receptor Rabbit mAb - Additional Information

Gene ID 367

Calculated MW

Other Names

AR

**Format** Liquid

## Androgen Receptor Rabbit mAb - Protein Information

Name AR

Synonyms DHTR, NR3C4

#### **Function**

Steroid hormone receptors are ligand-activated transcription factors that regulate eukaryotic gene expression and affect cellular proliferation and differentiation in target tissues (PubMed:<a href="http://www.uniprot.org/citations/19022849" target="\_blank">19022849</a>). Transcription factor activity is modulated by bound coactivator and corepressor proteins like ZBTB7A that recruits NCOR1 and NCOR2 to the androgen response elements/ARE on target genes, negatively regulating androgen receptor signaling and androgen-induced cell proliferation (PubMed:<a href="http://www.uniprot.org/citations/20812024" target="\_blank">20812024</a>). Transcription activation is also down-regulated by NROB2. Activated, but not phosphorylated, by HIPK3 and ZIPK/DAPK3.

#### **Cellular Location**

Nucleus. Cytoplasm Note=Detected at the promoter of target genes (PubMed:25091737) Predominantly cytoplasmic in unligated form but translocates to the nucleus upon ligand-binding. Can also translocate to the nucleus in unligated form in the presence of RACK1.

## **Tissue Location**

[Isoform 2]: Mainly expressed in heart and skeletal muscle.



Tel: 858.875.1900 Fax: 858.875.1999



# Androgen Receptor Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Androgen Receptor Rabbit mAb - Images