

## Glypican 3 Rabbit mAb

**Catalog # AP77195** 

### **Specification**

## Glypican 3 Rabbit mAb - Product Information

Application WB
Primary Accession P51654
Reactivity Human
Host Rabbit

Clonality Monoclonal Antibody

Calculated MW 65563

# Glypican 3 Rabbit mAb - Additional Information

**Gene ID 2719** 

Other Names GPC3

**Dilution** WB~~1/500-1/1000

Format Liquid


### Glypican 3 Rabbit mAb - Protein Information

Name GPC3

**Synonyms** OCI5

#### **Function**

Cell surface proteoglycan (PubMed:<a href="http://www.uniprot.org/citations/14610063" target=" blank">14610063</a>). Negatively regulates the hedgehog signaling pathway when attached via the GPI- anchor to the cell surface by competing with the hedgehog receptor PTC1 for binding to hedgehog proteins (By similarity). Binding to the hedgehog protein SHH triggers internalization of the complex by endocytosis and its subsequent lysosomal degradation (By similarity). Positively regulates the canonical Wnt signaling pathway by binding to the Wnt receptor Frizzled and stimulating the binding of the Frizzled receptor to Wnt ligands (PubMed: <a href="http://www.uniprot.org/citations/16227623" target="\_blank">16227623</a>, PubMed:<a href="http://www.uniprot.org/citations/24496449" target="blank">24496449</a>). Positively regulates the non-canonical Wnt signaling pathway (By similarity). Binds to CD81 which decreases the availability of free CD81 for binding to the transcriptional repressor HHEX, resulting in nuclear translocation of HHEX and transcriptional repression (By similarity). Inhibits the dipeptidyl peptidase activity of DPP4 (PubMed: <a href="http://www.uniprot.org/citations/17549790" target=" blank">17549790</a>). Plays a role in limb patterning and skeletal development by controlling the cellular response to BMP4 (By similarity). Modulates the effects of growth factors BMP2, BMP7 and FGF7 on renal branching morphogenesis (By similarity). Required for coronary





vascular development (By similarity). Plays a role in regulating cell movements during gastrulation (By similarity).

### **Cellular Location**

Cell membrane; Lipid-anchor, GPI-anchor {ECO:0000250|UniProtKB:P13265}; Extracellular side {ECO:0000250|UniProtKB:P13265}

### **Tissue Location**

Detected in placenta (at protein level) (PubMed:32337544). Highly expressed in lung, liver and kidney

# Glypican 3 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# Glypican 3 Rabbit mAb - Images

