

CD46 Rabbit mAb
Catalog # AP77413**Specification**

CD46 Rabbit mAb - Product Information

Application	WB, IHC
Primary Accession	P15529
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	43747

CD46 Rabbit mAb - Additional Information**Gene ID** 4179**Other Names**
CD46**Dilution**
WB~~1/500-1/1000
IHC~~1/50-1/100**Format**
Liquid**CD46 Rabbit mAb - Protein Information****Name** CD46**Synonyms** MCP, MIC10**Function**

Acts as a cofactor for complement factor I, a serine protease which protects autologous cells against complement-mediated injury by cleaving C3b and C4b deposited on host tissue. May be involved in the fusion of the spermatozoa with the oocyte during fertilization. Also acts as a costimulatory factor for T-cells which induces the differentiation of CD4+ into T-regulatory 1 cells. T-regulatory 1 cells suppress immune responses by secreting interleukin-10, and therefore are thought to prevent autoimmunity.

Cellular Location

Cytoplasmic vesicle, secretory vesicle, acrosome inner membrane; Single-pass type I membrane protein. Note=Inner acrosomal membrane of spermatozoa. Internalized upon binding of Measles virus, Herpesvirus 6 or Neisseria gonorrhoeae, which results in an increased susceptibility of infected cells to complement-mediated injury. In cancer cells or cells infected by Neisseria, shedding leads to a soluble peptide

Tissue Location

Expressed by all cells except erythrocytes.

CD46 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CD46 Rabbit mAb - Images

